5 HPU Group 14 - Crew Cab Long Box 9,200 GVWR LARGE CREW CAB PICKUP: 9,200 lb. GVWR minimum, 8 ft. Straight Side Body, V-8 Engine, Automatic Transmission

Line	Base Vehicle Minimum Specifications	State Package	
Number	Dase venicle minimum opecinications	or Code Number	
Line 1	Wheelbase: 167-172 inches. 56 inch CA only.	W2A 172	
Line 2	Air conditioning w/all required options.	600A	
Line 3	Tilt steering column, Automatic speed control.	96X	
Line 4	Wipers, intermittent.	Standard	
Line 5	Rear step bumper.	Standard	
Line 6	Engine: Base engine for model bid with specified options and accessories. If base is available as E85 flex-fuel, it must be provided. STATE: Cylinders8Liters_5.4 Horsepower300 Torque _365	995	
Line 7	Power point.	Standard	
Line 8	Radio, AM FM w/internal clock. Delete satellite radio if standard.	Standard	
Line 9	Power 4-wheel anti-lock brakes.	Standard	
Line 10	Interior trim package w/insulating headliner and door panels, dome lamp. Front split bench seat w/center folding arm rest/storage area, rear bench seat, all w/cloth upholstery. Full floor covering, rubber preferred - if available it must be provided. If floor covering must be carpet, OEM	3C Standard	
Line 11 Line 12	floor mats must be provided. Tires, all-season radial. Full size spare tire mounted under body.	Standard	
	Rear axle, anti-spin differential. State standard ratio:3.73	X3L	
	Daytime running lights.	942	
Line 15	Power windows.	90L	
	Power door locks with remote keyess entry.	90L	
	Delete vehicle communication system (OnStar or equivalent) if standard.	Standard	
	State GVWR: State Payload Capacity:	9400	-
	BASE VEHICLE PRICE CONFIGURED AS PER ABOVE	3160	\$22.406.00
Line 20 Line 21	Delivery Charge. Per mile charge for anywhere in the State of Iowa. Use \$0.00 format		\$22,496.00 \$2.50
		State Package	φ∠.30 Option Price
if standar	ns List - Dealer must provide price for each option. (Prices are required to complete Bid - d state STD, if part of a package state package code, if not available state N/A, if dealer installed/provided state DLR, a deduct, state as a negative (-) number, if cost is zero (0), enter '0'.)	or Code Number	
	Engine block heater.	41H	\$0.00
	Sliding rear window.	433	\$100.00
	Power driver's seat.	603A 96C	\$5,305.00
	Trailer tow extendable mirrors.	Standard	\$0.00
	Trailer tow package: Class IV receiver hitch, 2-inch shaft. 7-wire trailer wiring receptacle at hitch. OEM integrated electric trailer brake controller.	Standard 52B	\$0.00 \$230.00
	2 extra key sets, 4 total sets with each vehicle.	Dealer	\$295.00
	Power Exterior Mirrors.	Standard	\$0.00
Line 30	Paint: DOT Orange. GM 9W4, Ford W5684E, Dodge TY5262.	SP101	\$234.00
Line 31	(Line Item Removed)		
Line 32	Increased payload package - Minimum 10,000 lb. GVWR - include all required options and other pertinent	14/04 0404	\$605.00
Line 22	information. STATE: Upgrade GVWR10200& Upgrade Payload4230 Rear Axle: optional lower ratio (higher numerically). State ratio4.10	W3A 610A X4N	\$0.00
Line 33	E85 FFV engine - include all required options and other pertinent information. STATE:	A41N	\$0.00
Line 34	CylindersLiters Horsepower Torque LIST OTHER REQUIREMENTS:	Not Available	\$0.00
Line 35	Engine upgrade #1. Minimum 6.0L displacement - include all required options and other pertinent information. STATE: Cylinders 10 Liters 6.8 Horsepower 362 Torque 457 LIST	001/	\$600.00
—	OTHER REQUIREMENTS: Engine upgrade #1. Minimum 6.0L displacement - include all required options and other pertinent information.	99Y	
Line 36	STATE: Cylinders10Liters6.8 Horsepower362 Torque457 LIST OTHER REQUIREMENTS:	99Y	\$600.00
Line 37	Engine upgrade #3. Turbocharged Diesel, minimum 6.4 liters. Must be rated minimum 325 Hp., minimum 560 lb/ft torque with HD Automatic Transmission. STATE: Cylinders8Liters_6.7 Horsepower>350 Torque>650 LIST OTHER REQUIREMENTS:	2011 DIESEL	\$7,835.00
Line 38	Full Floor Carpeting & OEM Mats if not provided in base above.	603A	\$2,472.00
Line 39	Pickup Box Delete: Required components: cab/chassis rear taillights, fuel filler neck kit(s): filler cap set-back adapter kit(s), suitable for flush mounting neck(s) into flat side of body, spare tire, jack and mounting.	66D 512	(\$264.00)
Line 40	Flatbed Body, fully installed with hoist: Heavy Duty nominal 8-foot by 78 inch wide (width matched to chassis) nationally marketed flatbed platform body fully installed. Minimum 3-inch crossmembers, 5-inch longsills. Stake pockets all around. Wood floor. Flush rubber grommet mounted ICC lamp package. Painted to match cab color. Standard 7-wire trailer receptacle mounted into bumper area near hitch receptacle. Mudflaps: Heavy rubber mudflaps with no vendor logo installed behind rear tires. Rear ICC bumper incorporating the 2" class IV receiver hitch receptacle. State: Brand_KNAPHEIDE Exact Model PVMX-838C Hoist: Omaha Standard 415-SF-8-DE or equivalent NTEA conversion class B scissors hoist fully installed and operational. Double acting, minimum 45 degree dump angle. Self-contained electro-hydraulic system with cab mounted operation switch. Safety prop. State: Hoist BrandCRYSTELL Exact ModelLB400-EDA	TRUCK EQUIPMENT	\$4,999.00
	DEDUCT COST: Delete anti-lock brakes.	Not Available	\$0.00
Line 42	DEDUCT COST: Delete Daytime running lights.	Drop 942	(\$36.00)
Line 43	DEDUCT COST: Delete Power windows.	Drop 90L	(\$550.00)
	DEDLICT COST: Delete Power door looks with remote keyess onthy	Reg. line 43	, ,
Line 44	DEDUCT COST: Delete Power door locks with remote keyess entry.	ney. IIIe 43	\$0.00

DOT Required Options (Prices are required to complete Bid - if standard state STD, if part of a package state package code, if not available state NA, if dealer installed/provided state DLR, if cost is a deduct, state as a negative (-) number, if cost is zero (0), enter "0.) Line 25 Trailer tow package. Class IV receiver hitch, 2-inch shaft. 7-wire trailer wiring receptacle at hitch. Line 26 Trailer tow package. Class IV receiver hitch, 2-inch shaft. 7-wire trailer wiring receptacle at hitch. Line 30 Price package. Standard \$0.00. Line 30 Price package. A liminum 10,000 lb. GVWR - include all required options and other pertinent information. STATE: Upgrade GVWR 10200 & Upgrade Payload 4230. Line 39 Pickup Box Delete: Required components: cab/chassis rear taillights, fuel filler neck kit(s): filler cap set-back adapter kit(s), suitable for flush mounting neck(s) into flat side of body, spare tire, jack and mounting. Flatbed Body, fully installed with hoist: Heavy Duty nominal 8-foot by 78 inch wide (width matched to chassis) nationally marketed flatbed platform body fully installed. Minimum 3-inch crossmembers, 5-inch longsills. Stake pockets all around. Wood floor. Flush rubber grommet mounted ICC lamp package. Painted to match cab color. Standard 7-wire trailer receptacle mounted into bumper area near hitch receptacle. Mudflaps: Heavy rubber undflaps with no vendor logo installed behind rear tires. Rear ICC bumper incorporating the 2" class IV receiver hitch receptacle. Mudflaps: Heavy rubber with receptacles with receptacles and the state: Brand_KNAPHEIDE _ Exact Model _ PVMX-838C _ Hoist: Omaha Standard 415-SP-8-DE or equivalent NTEA conversion class B scissors hoist fully installed and operational. Double acting, minimum 45 degree dump angle. Self-contained electro-hydraulic system with cab mounted operations switch. Safety prop. State: Hoist Brand _ CRYSTELL _ Exact Model _ LB400-EDA	BID ID: HPU 14.2 - DOT						
code, if not available state N/A, if dealer installed/provided state DLR, if cost is a deduct, state as a negative (-) number, if cost is zero (0), enter '0'.) Line 25 Trailer tow extendable mirrors. Line 26 Trailer tow package: Class IV receiver hitch, 2-inch shaft. 7-wire trailer wiring receptacle at hitch. Standard \$0.00 Trailer tow package: Class IV receiver hitch, 2-inch shaft. 7-wire trailer wiring receptacle at hitch. Standard \$0.00 Standard \$0.00 Standard \$0.00 Standard \$0.00 Line 30 Paint. DOT Orange. GM 9WH, Pord W5684E, Dodge TV5262. Line 32 Increased payload package - Minimum 10,000 lb. GVWR - include all required options and other pertinent information. STATE: Upgrade GVWR 10200 & Upgrade Payload 4230 Line 33 Pickup Box Delete: Required components: cast/chassis rear tallilights, full filler neck kit(s): filler cap set-back adapter kit(s), suitable for flush mounting neck(s) into flat side of body, spare tire, jack and mounting. Flatbed Body, fully installed with hoist: Heavy Duty nominal 8-foot by 78 inch wide (width matched to chassis) nationally marketed flatbed platform body fully installed. Minimum 3-inch crossmembers, 5-inch longsills. Stake pockets all around. Wood floor. Flush rubber grommet mounted ICC lamp package. Painted to match cab color. Standard 7-wire trailer receptacle mounted into bumper area near hitch receptacle. Mudflaps: Heavy rubber mudflaps with no vendor logo installed behind rear tires. Rear ICC bumper incorporating the 2" class IV receiver hitch receptacle. State: Brand, KNAPHEIDE _Exact Model _PVMX-838C _Hoist: Omaha Standard 415-57-8-DE or equivalent NTEA conversion class B scissors hoist fully installed and operational. Double acting, minimum 45 degree dump angle. Self-contained electro-hydraulic system with cab mounted operation switch. Safety prop. State: Hoist Brand _CRYSTELL _Exact Model _LB400-EDA			State Package	Option Price ·			
Is zero (0), enter (0') provided			or Code Number	MUST be			
Line 26 Trailler tow package: Class IV receiver hitch. 2-inch shaft. 7-wire trailer wiring receptacle at hitch. Standard \$0.00 Line 30 Paint: DOT Orange. GM 9W4, Ford W5684E, Dodge TY5262. Line 32 Increased payload package - Minimum 10,000 lb. GVWR - include all required options and other pertinent information. STATE: Upgrade GVWR 10200 & Upgrade Payload 4230. Line 39 Pickup Box Delete: Required components: cab/chassis rear taillights, fuel filler neck kit(s): filler cap set-back adapter kit(s), suitable for flush mounting neck(s) into flat side of body, spare tire, jack and mounting. Flatbed Body, fully installed with hoist: Heavy Duty nominal 8-foot by 78 inch wide (width matched to chassis) nationally marketed flatbed platform body fully installed. Minimum 3-inch crossmembers, 5-inch longsills. Stake pockets all around. Wood floor. Flush rubber grommet mounted ICC lamp package. Painted to match cab color. Standard 7-wire trailer receptacle mounted into bumper area near hitch receptacle. Mudflaps: Heavy rubber mudflaps with no vendor logo installed behind rear tires. Rear ICC bumper incorporating the 2" class IV receiver hitch receptacle. State: Brand. KNAPHEIDEExact ModelPVMX-838CHoist: Omaha Standard 415-SF-8-De or equivalent NTEA conversion class 8 scissors hoist fully installed and operational. Double acting, minimum 45 degree dump angle. Self-contained electro-hydraulic system with cab mounted operation switch. Safety prop. State: Hoist Brand _CRYSTELLExact ModelLB400-EDA Belivery Cost - Enter miles in whole number, MapQuest city to city - Cost will be automatically calculated	is zero (0)), enter '0'.)		provided			
Line 30 Paint: DOT Orange. GM 9W4, Ford W5684E, Dodge TY5262. Line 32 Increased payload package - Minimum 10,000 lb. GWVR - include all required options and other pertinent information. STATE: Upgrade GWWR 10200 & Upgrade Payload 4230 W3A 610A \$605.00 Line 39 Pickup Box Delete: Required components: cab/chassis rear taillights, fuel filler neck kit(s): filler cap set-back adapter kit(s), suitable for flush mounting neck(s) into flat side of body, spare tire, jack and mounting. Flatbed Body, fully installed with hoist: Heavy Duty nominal 8-foot by 78 inch wide (width matched to chassis) nationally marketed flatbed platform body fully installed. Minimum 3-inch crossmembers, 5-inch longsills. Stake pockets all around. Wood floor. Flush rubber grommet mounted ICC lamp package, Painted to match cab color. Standard 7-wire trailer receptacle mounted into bumper area near hitch receptacle. Mudflaps: Heavy rubber mudflaps with no vendor logo installed behind rear tires. Rear ICC bumper incorporating the 2" class IV receiver hitch receptacle. State: Brand_KNAPHEIDE_Exact Model_PWMX-838C_Hoist: Omaha Standard 415-57-8-DE or equivalent NTEA conversion class B scissors hoist fully installed and operational. Double acting, minimum 45 degree dump angle. Self-contained electro-hydraulic system with cab mounted operation switch. Safety prop. State: Hoist Brand_CRYSTELL_Exact Model_LB400-EDA_ Estimated Quantity: Delivery Delivery Cost - Enter miles in whole number, MapQuest city to city - Cost will be automatically calculated 0 \$0.00 \$0.	Line 25	Trailer tow extendable mirrors.	Standard	\$0.00			
Increased payload package - Minimum 10,000 lb. ĞVWR - include all required options and other pertinent information. STATE: Upgrade GVWR 10200 & Upgrade Payload 4230	Line 26	Trailer tow package: Class IV receiver hitch, 2-inch shaft. 7-wire trailer wiring receptacle at hitch.	Standard	\$0.00			
Line 32 Increased payload package - Minimum 10,000 lb. GWWR - include all required options and other pertinent information. STATE: Upgrade GVWR10200_& Upgrade Payload4230_ Pickup Box Delete: Required components: cab/chassis rear taillights, fuel filler neck kit(s): filler cap set-back adapter kit(s), suitable for flush mounting neck(s) into flat side of body, spare tire, jack and mounting. Flatbed Body, fully installed with hoist: Heavy Duty nominal 8-foot by 78 inch wide (width matched to chassis) nationally marketed flatbed platform body fully installed. Minimum 3-inch crossmembers, 5-inch longsills. Stake pockets all around. Wood floor. Flush rubber grommet mounted ICC lamp package. Painted to match cab color. Standard 7-wire trailer receptacle mounted into bumper area near hitch receptacle. Mudflaps: Heavy rubber mudflaps with no vendor logo installed behind rear tires. Rear ICC bumper incorporating the 2" class IV receiver hitch receptacle. State: Brand_KNAPHEIDE _Exact Model _PVMX-838C _Hoist: Omaha Standard 415-SF-8-DE or equivalent NTEA conversion class B scissors hoist fully installed and operational. Double acting, minimum 45 degree dump angle. Self-contained electro-hydraulic system with cab mounted operation switch. Safety prop. State: Hoist Brand_CRYSTELL _Exact Model _LB400-EDA	Line 30	Paint: DOT Orange. GM 9W4, Ford W5684E, Dodge TY5262.	SP101	\$234.00			
Line 39 adapter kit(s), suitable for flush mounting neck(s) into flat side of body, spare tire, jack and mounting. Flatbed Body, fully installed with hoist: Heavy Duty nominal 8-foot by 78 inch wide (width matched to chassis) nationally marketed flatbed platform body fully installed. Minimum 3-inch crossmembers, 5-inch longsills. Stake pockets all around. Wood floor. Flush rubber grommet mounted ICC lamp package. Painted to match cab color. Standard 7-wire trailer receptacle mounted into bumper area near hitch receptacle. Mudflaps: Heavy rubber mudflaps with no vendor logo installed behind rear tires. Rear ICC bumper incorporating the 2" class IV receiver hitch receptacle. State: Brand_KNAPHEIDE Exact ModelPVMX-838C Hoist: Omaha Standard 415-SF-8-DE or equivalent NTEA conversion class B scissors hoist fully installed and operational. Double acting, minimum 45 degree dump angle. Self-contained electro-hydraulic system with cab mounted operation switch. Safety prop. State: Hoist BrandCRYSTELL Exact ModelLB400-EDA	Line 32		W3A 610A	\$605.00			
nationally marketed flatbed platform body fully installed. Minimum 3-inch crossmembers, 5-inch longsills. Stake pockets all around. Wood floor. Flush rubber grommet mounted ICC lamp package. Painted to match cab color. Standard 7-wire trailer receptacle mounted into bumper area near hitch receptacle. Mudflaps: Heavy rubber mudflaps with no vendor logo installed behind rear tires. Rear ICC bumper incorporating the 2" class IV receiver hitch receptacle. State: Brand_KNAPHEIDE Exact Model PVMX-838C Hoist: Omaha Standard 415-SF-8-DE or equivalent NTEA conversion class B scissors hoist fully installed and operational. Double acting, minimum 45 degree dump angle. Self-contained electro-hydraulic system with cab mounted operation switch. Safety prop. State: Hoist BrandCRYSTELL Exact ModelLB400-EDA Delivery Delivered FOB: lowa Department of Transportation Motor Pool, Ames.	Line 39		66D 512	(\$264.00)			
Delivered FOB: lowa Department of Transportation Motor Pool, Ames. Delivery Cost - Enter miles in whole number, MapQuest city to city - Cost will be automatically calculated TOTAL PRICE EACH: Add Base Cost, Options, and Delivery Cost Below Information Must Be Provided to complete LCC Vehicle Make (i.e.: Ford, Chevrolet, etc.): Vehicle Make (i.e.: Ford, Chevrolet, etc.): Vehicle Exact Model Name (i.e.: Taurus, CK1500, Uplander, etc.): Vehicle Exact Model Code (i.e.: R44, CC15653, RSKL52, etc.): W3A Vehicle Trim Package Common Name (i.e.: XLT, SE, LT, etc.): Exact Trim Package Code Designation (i.e.: 617A, 25J, 2LT, 1WT, etc.): American Made (Yes/No): YES	Line 40	nationally marketed flatbed platform body fully installed. Minimum 3-inch crossmembers, 5-inch longsills. Stake pockets all around. Wood floor. Flush rubber grommet mounted ICC lamp package. Painted to match cab color. Standard 7-wire trailer receptacle mounted into bumper area near hitch receptacle. Mudflaps: Heavy rubber mudflaps with no vendor logo installed behind rear tires. Rear ICC bumper incorporating the 2" class IV receiver hitch receptacle. State: Brand_KNAPHEIDE Exact ModelPVMX-838C Hoist: Omaha Standard 415-SF-8-DE or equivalent NTEA conversion class B scissors hoist fully installed and operational. Double acting, minimum 45 degree dump angle. Self-contained electro-hydraulic system with cab mounted		\$4,999.00			
Delivery Cost - Enter miles in whole number, MapQuest city to city - Cost will be automatically calculated O \$0.00 Line 48 TOTAL PRICE EACH: Add Base Cost, Options, and Delivery Cost Below Information Must Be Provided to complete LCC Vehicle Make (i.e.: Ford, Chevrolet, etc.): Vehicle Common Model Name (i.e.: Taurus, CK1500, Uplander, etc.): Vehicle Exact Model Code (i.e.: R44, CC15653, RSKL52, etc.): Vehicle Trim Package Common Name (i.e.: XLT, SE, LT, etc.): Exact Trim Package Code Designation (i.e.: 617A, 25J, 2LT, 1WT, etc.): American Made (Yes/No): YES		Estimated Quantity:					
Line 47 Cost will be automatically calculated TOTAL PRICE EACH: Add Base Cost, Options, and Delivery Cost Below Information Must Be Provided to complete LCC Vehicle Make (i.e.: Ford, Chevrolet, etc.): Vehicle Common Model Name (i.e.: Taurus, CK1500, Uplander, etc.): Vehicle Exact Model Code (i.e.: R44, CC15653, RSKL52, etc.): Vehicle Trim Package Common Name (i.e.: XLT, SE, LT, etc.): Exact Trim Package Code Designation (i.e.: 617A, 25J, 2LT, 1WT, etc.): American Made (Yes/No): YES		Delivered FOB: Iowa Department of Transportation Motor Pool, Ames.	Delivery	Delivery			
Line 48 TOTAL PRICE EACH: Add Base Cost, Options, and Delivery Cost Below Information Must Be Provided to complete LCC Vehicle Make (i.e.: Ford, Chevrolet, etc.): Vehicle Common Model Name (i.e.: Taurus, CK1500, Uplander, etc.): Vehicle Exact Model Code (i.e.: R44, CC15653, RSKL52, etc.): Vehicle Trim Package Common Name (i.e.: XLT, SE, LT, etc.): XL Exact Trim Package Code Designation (i.e.: 617A, 25J, 2LT, 1WT, etc.): American Made (Yes/No): YES		Delivery Cost - Enter miles in whole number, MapQuest city to city -	Miles	Cost			
Below Information Must Be Provided to complete LCC Vehicle Make (i.e.: Ford, Chevrolet, etc.): 2011 FORD Vehicle Common Model Name (i.e.:Taurus, CK1500, Uplander, etc.): F350 Vehicle Exact Model Code (i.e.: R44, CC15653, RSKL52, etc.): W3A Vehicle Trim Package Common Name (i.e.: XLT, SE, LT, etc.): XL Exact Trim Package Code Designation (i.e.: 617A, 25J, 2LT, 1WT, etc.): 610A American Made (Yes/No): YES	Line 47	Cost will be automatically calculated	0	\$0.00			
Vehicle Make (i.e.: Ford, Chevrolet, etc.): Vehicle Common Model Name (i.e.:Taurus, CK1500, Uplander, etc.): F350 Vehicle Exact Model Code (i.e.: R44, CC15653, RSKL52, etc.): W3A Vehicle Trim Package Common Name (i.e.: XLT, SE, LT, etc.): Exact Trim Package Code Designation (i.e.: 617A, 25J, 2LT, 1WT, etc.): American Made (Yes/No): YES	Line 48	TOTAL PRICE EACH: Add Base Cost, Options, and Delivery Cost	\$2	8,070.00			
Vehicle Common Model Name (i.e.:Taurus, CK1500, Uplander, etc.): F350 Vehicle Exact Model Code (i.e.: R44, CC15653, RSKL52, etc.): W3A Vehicle Trim Package Common Name (i.e.: XLT, SE, LT, etc.): XL Exact Trim Package Code Designation (i.e.: 617A, 25J, 2LT, 1WT, etc.): 610A American Made (Yes/No): YES		Below Information Must Be Provided to complete LCC					
Vehicle Exact Model Code (i.e.: R44, CC15653, RSKL52, etc.): W3A Vehicle Trim Package Common Name (i.e.: XLT, SE, LT, etc.): XL Exact Trim Package Code Designation (i.e.: 617A, 25J, 2LT, 1WT, etc.): 610A American Made (Yes/No): YES			,				
Vehicle Trim Package Common Name (i.e.: XLT, SE, LT, etc.): XL Exact Trim Package Code Designation (i.e.: 617A, 25J, 2LT, 1WT, etc.): 610A American Made (Yes/No): YES							
Exact Trim Package Code Designation (i.e.: 617A, 25J, 2LT, 1WT, etc.): 610A American Made (Yes/No): YES							
American Made (Yes/No): YES							
		=======================================		4 I			
		EPA Highway MPG Rating (if applicable):	IES				

BID ID:	BID ID: HPU 14.3 - DAS						
DAS Re	quired Options (Prices are required to complete Bid - if standard state STD, if part of a package state package	State Package	Option Price ·				
code, if n	ot available state N/A, if dealer installed/provided state DLR, if cost is a deduct, state as a negative (-) number, if cost	or Code Number	MUST be				
is zero (0), enter '0'.)		provided				
Line 22	Engine block heater.	41H	\$0.00				
Line 25	Trailer tow extendable mirrors.	Standard	\$0.00				
Line 29	Power Exterior Mirrors.	Standard	\$0.00				
Line 34	E85 FFV engine - include all required options and other pertinent information. STATE: Cylinders Liters Horsepower Torque LIST OTHER	Not Available	\$0.00				
LINE 34	REQUIREMENTS:	140t Available	ψ0.00				
Line 38	Full Floor Carpeting & OEM Mats if not provided in base above.	603A	\$2,472.00				
Line 42	DEDUCT COST: Delete Daytime running lights.	Drop 942	(\$36.00)				
	Estimated Quantity						
	Delivered FOB Factory Direct: Department of Administrative Services, Des Moines.	Delivery	Delivery				
	Delivery Cost - Enter miles in whole number, MapQuest city to city -	Miles	Cost				
Line 49	Cost will be automatically calculated	-103	(\$257.50)				
Line 50	TOTAL PRICE EACH: Add Base Cost, Options, and Delivery Cost	\$24,674.50					
	Below Information Must Be Provided to complete LCC						
	Vehicle Make (i.e.: Ford, Chevrolet, etc.):): 2011 FORD					
	Vehicle Common Model Name (i.e.:Taurus, CK1500, Uplander, etc.):	.): F250					
	Vehicle Exact Model Code (i.e.: R44, CC15653, RSKL52, etc.):	: W2A					
	Vehicle Trim Package Common Name (i.e.: XLT, SE, LT, etc.):						
	Exact Trim Package Code Designation (i.e.: 617A, 25J, 2LT, 1WT, etc.):						
	American Made (Yes/No):						
	EPA Highway MPG Rating (if applicable):						